APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date o	of filing in State Engineer's Office
	ned to applicant for correction
	7 1990
	Fr B 7 1330
мар п	iled
The	e applicant Marshall Earth Resources, Inc.
Р.	O. Box 888 Virginia City, Street and No. or P.O. Box No. City or Town
Ne	State and Zip Code No. , hereby make Sapplication for permission to appropriate the public
	of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a
copartn	nership or association, give names of members.)
	eno, Nevada
1. Th	ne source of the proposed appropriation is Spring in unnamed ravine, Lot 5, Sec. 3
	T27N, R34E, M.D.M.
2. Th	ne amount of water applied for is 0.01114
(a)	If stored in reservoir give number of acre-feet 0.009207
3. Th	ne water to be used for
	use is for:
(a)	Irrigation, state number of acres to be irrigated
(b)	Stockwater, state number and kinds of animals to be watered
	Other use (describe fully under "No. 12, Remarks")
(d)	Power:
()	(1) Horsepower developed
	(2) Point of return of water to stream
5 Th	2
3. Til	e water is to be diverted from its source at the following point located in Lot 5, Sec. 3, T27N, 34E, MDB&M, from said point the NW corner Describe as being within a 40-acre subdivision of public and social socia
surv	F said Sec. 3 bears N 090 09' 07" W a distance of 2511.9 feet. rey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
	Portion of Lot 5 Lot 6 Lot 7 Sec. 3 T27N, R34E, MDB&M: and
6. Pla	ace of use Portion of Lot 5, Lot 6, Lot 7, Sec. 3, T27N, R34E, MDB&M and Describe by legal subdivision. If on unsurveyed land, it should be so stated.
NA FC	ortion of NW1/4 of NW1/4, NE1/4 of NW1/4, NW1/4 of NE1/4, SW1/4 of $W1/4$, SE1/4 of NW1/4, NW1/4 of SW1/4, NE1/4 of SW1/4, SW1/4 of SW1/4
SH	E1/4 of SW1/4, Sec. 10, T27N, R34E, MDB&M.
••••	
••••	
7. Us	se will begin about April 20 and end about November 30 , of each year.
	escription of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
spe	ecifications of your diversion or storage works.) Pond for storage will be filled from State manner in which water is to be diverted, i.e. diversion structure, ditches and
ez flun	xisting spring. mes, drilled well with pump and motor, etc.
	stimated cost of works \$1,000 in dozer work

10	Estimated time required to construct works
10.	Estimated time required to construct works
11.	Estimated time required to complete the application of water to beneficial use
12.	Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.
	30,000 gals./yr.
	s/Hugh Marshall ByP_OBox888
Cor	Virginia City, NV 89440
	ested 4/11/90 by U.S.D.I. Bureau of Land Management, Winnemucca District
	APPROVAL OF STATE ENGINEER
	This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following
limi	tations and conditions: This permit is issued subject to all existing rights on the source. It is
	erstood that the 0.01114 c.f.s., herein granted is only a temporary allowance and
amo	t the final water right obtained under this permit will be dependent upon the unt of water actually placed to a beneficial use. A suitable measuring device
	t be installed and accurate measurements of the water placed to a beneficial use t be included in the proof of such use when filed. The State retains the right to
	ulate the use of the water herein granted at any and all times.
wil	This permit is subject to the condition that the permittee must ensure that dlife which have customarily used such water will have access thereto, NRS
533	.367. The issuance of this permit does not waive the requirements that the permit
hol	der obtain other permits from State, Federal and local agencies.
	Diversion is limited to 500 gallons per day for exploratory drilling only. This permit is issued subject to the State Engineer's Ruling No. 3734, dated
Jul	у 31, 1990.
The	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to
exce	cubic feet per second, but not to exceed 500 gallons
per	day.
Wo	k must be prosecuted with reasonable diligence and be completed on or before
Pro	of of completion of work shall be filed on or before
Арр	olication of water to beneficial use shall be made on or before
Pro	of of the application of water to beneficial use shall be filed on or before
Maj	o in support of proof of beneficial use shall be filed on or before
Com	pletion of work filed
Proc	State Engineer of Nevada, have hereunto set my hand and the seal of my f of beneficial use filed
Cult	office, this30th day of August,
	A.D. 19 90 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)
CEIL	State Engineer
	/ State Engineer

STATE ENGINEER OCT 07 1993